

NEW

Myrius™
emergency light & indicators - white

Myrius™
buzzer and detector - white



0785 12



0785 71



6730 36



6730 33



6730 34

Technical data (p. 324)

Pack	Cat. nos.	Emergency light
1/1	0785 12	Emergency light unit

Pack	Cat. nos.	Indicators
1/1	0785 73	Triangular bulkhead - Blue
1/1	0785 71	Triangular bulkhead - Colourless
1/1	0785 72	Triangular bulkhead - Green
1/1	0785 70	Triangular bulkhead - Red

Technical data (p. 325-326)

Number of modules	Pack	Cat. nos.	Skirting light	Number of modules
2	1/5/25	6730 36	Skirting light with white LED	3

Number of modules	Pack	Cat. nos.	Bell indicator	Number of modules
2	20/200	6730 33	Bell indicator - 240V~	1

Number of modules	Pack	Cat. nos.	Buzzer	Number of modules
2	20/200	6730 34	Buzzer - 230V~ sound level 72dB at 1 meter distance	1

Number of modules	Pack	Cat. nos.	Sensor	Number of modules
2	1/10	6730 32	Infra red sensor - 300W	2

Number of modules	Pack	Cat. nos.	Remote unit	Number of modules
4	1/5/20	6730 73	Remote control switch Controls 4 lights and 1 fan of a room Regulates the fan with 10 speed levels. Inbuilt night lamp on product panel with manual operation option for all functions.	4

Myrius™ buzzer


Myrius™ infrared sensor - 300W

■ Technical data


Buzzer

Cat. no. 6730 38 / 39, 6731 39 / 40, 6730 34 / 6731 34

Description




Wiring




Operation

1- Instruction : «Do not disturb»


Bedroom





Corridor




2- Instruction : «Please clean up»



3- No call




Note : If both buttons are pressed simultaneously, priority is given to the «don't disturb» call



■ Technical data

Automatic switch


Cat. no. 6730 32 - 6731 32




Temperature 35° 0° 100 - 240 Vac 50Hz	Cable cross-section 1 x 2.5 mm ² 2 x 2.5 mm ²	Lighting options			
		Incandescent	LED	LED + Transformer	LED + Transformer (*)
240 Vac	Max.	400 W	400 W	400 W	400 W
	Min.	40 W	40 W	40 W	40 W
100 Vac	Max.	200 W	200 W	200 W	200 W
	Min.	40 W	40 W	40 W	40 W

(*) Use only transformers which are intended for use with an electronic switch.


Mounting with a switch



Mounting with offset push button



Mounting with a several combined switch




Myrius™ buzzer


■ Technical data

Cat.Nos 6730 38/39, 6731 39/40, 6730 34/6731 34

Description




Wiring




Operation

1- Instruction : «Do not disturb»



Bedroom





Corridor



2- Instruction : «Please clean up»



3- No call



Note : If both buttons are pressed simultaneously, priority is given to the «don't disturb» call

