


Sleek Surface



Sleek Surface



A downlight which can be installed on true ceiling but gives similar/ better aesthetic than a recessed downlight

Features

- Slim profile downlight having sophisticated look, available in round and square shape to suit multipurpose applications
- Black and White color options to choose from
- Circular and Square form factor in 180mm and 220mm
- Family lumen package ranges from 700 -2000 lumens
- High luminous efficacy; greater than 100lm/W
- Highly reliable & Longer life – 30,000 burning hrs. @ L70

Applications

- Small Shops
- Reception Areas
- Corridors
- Government Buildings

Product Specifications

Form Factor	Circular				Square			
Product Family Code	SM250C LED 7S	SM250C LED12S	SM251C LED15S	SM251C LED20S	SM260C LED 7S	SM260C LED12S	SM261C LED15S	SM261C LED20S
Lumen Pack	750	1200	1600	2000	750	1200	1600	2000
Wattage	6W	12W	15W	18W	6W	12W	15W	18W
CCT	3000K/ 4000K/6500K							
CRI	>80							
Dimensions (mm)	Ø180mm X 26		Ø220mm X 26		180x180 x 26		220 x220x26	
Material	Polycarbonate							
Optics	Diffused							
Operating Voltage	140V - 270V 50 HZ (Performance declared at 240V / 50Hz)							
Optics	Diffused							
Installation	Surface Mounted (RCC / Plaster)							
Color	White / Black* in Q4 2017							