MASTER PL-C 2 Pin

MASTER PL-C 18W/865/2P 1CT

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.


Product data

General Characteristics

G24d-2 2P 6500 hr
10000 hr
99 %
98 %
92 %
78 %

• Light Technical Characteristics

Color Code Color Rendering Index	865 [CCT of 6500K] 82 Ra8
Color Designation (text)	Cool Daylight
Color Temperature	6500 K
Luminous Flux EM 25°C, Rated	1120 Lm
Luminous Flux EM 25°C, Nominal	1200 Lm
Lum Efficacy Rated EM 25°C	67 Lm/W
LLMF EM 2000h Bated	90 %
LLMF EM 4000h Rated	85 %
LLMF EM 6000h Rated	81 %



• Electrical Characteristics

Lamp Wattage Lamp Wattage EM 25°C, Nominal	18 W 18 W
Lamp Wattage EM 25°C, Rated	17.9 W
Lamp Voltage EM	95 V
Lamp Current EM	0.230 A
Dimmable	No

• Environmental Characteristics

Energy Efficiency	В
Label (EEL)	
Mercury (Hg)	1.4 mg
Content	
Energy consumption	22 kWh
kWh/1000h	

Product Dimensions

Base Face to Base	109.7 (max) mm
Face A	
Insertion Length B	128.0 (max) mm
Overall Length C	150.4 (max) mm
Diameter D	27.1 (max) mm





MASTER PL-C 2 Pin

Diameter D1 27.1 (max) mm
• Product Data

Order code927Full product code927Full product nameMASOrder product nameMASPieces per pack1Packing configuration5X1Packs per outerbox50

927905786566 927905786566 MASTER PL-C 18W/865/2P 1CT MASTER PL-C 18W/865/2P 1CT/ 5X10CC 1 5X10CC 50


Bar code on pack - EAN1	8711500277459
Bar code on inter- mediate packing - EAN2	8711500278890
Bar code on outerbox - EAN3	8711500278173
Logistic code(s) - 12NC	927905786566
LCOS code Net weight per piece	FSQ-18/65/1B-I-G24d=2 0.069 kg

• Dimming is not possible

- Warnings and Safety
- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position

D1

Dimensional drawing



MASTER PL-C 18W/865/2P 1CT

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
PL-C 18W/865/2P	109.7	128.0	150.4	27.1	27.1



© 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting