



Wing-C LX FBS450

Designed to create soothing direct and indirect lighting conditions by efficient brightness control. This keeps the optimal lighting efficiency with excellent aesthetics.

Features

- Ingenious design provides perfect make-up for contemporary workspaces.
- Optimum glare control for improved visual comfort.
- Multiple optics, wings and gear options for greater flexibility.
- Higher efficiency leading to use of fewer luminaires reduce total cost of ownership.
- Aesthetically appealing and distinguished looks.
- Option of lamp dimming provides mood/scene creation flexibility.
- Efficiently designed gear mounting for ease of maintenance & relamping.



Application

- BPOs, software companies, private corporates
- Hotels and restaurants
- Shops
- Workstations
- Passages, lobbies, reception areas and other breakaway zones.

Related products



Dimensional drawing



General information

Order code	Product family code	Number of lamps	Optics	Lamp family code	Lamp power	Gear	Compensation circuit	Optical element
919015043415	FBS450	2	D6	PL-L	36	-	IC	-
919015043424	FBS450	2	D6	PL-L	36	-	IC	DF-WH
919015085146	FBS450	2	D6	PL-L	36	-	IC	DF-OR
919015810219	FBS450	2	D6	PL-L	36	EBT	No	DF-OR
919015810227	FBS450	2	D6	PL-L	36	EBT	No	DF-GN
919015085161	FBS450	2	P5	PL-L	36	HF	-	DF-WH
919015085162	FBS450	2	P5	PL-L	36	-	IC	DF-WH



© 2012 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2012, April 15
data subject to change