

TBS869

Advanced recessed luminaires with D8 Micro-optics specially designed for T5 Lamps. These luminaires offer the best combination of performance and energy efficiency. Sereno Luminaires offer the latest technology for high comfort and optical efficiency in a miniature profile.


Features

- Suitable for recess mounting in modular ceilings for direct lighting.
- D8 Micro-optics, with excellent glare control (Designed for UGR 19).
- 3 Dimensional smooth interrupted arch contour offers high efficiency levels.
- The high efficiency optical system offers the best package for excellent uniformity and glare control.
- Housing made of powder coated CRCA.


Application

- Software offices and corporate offices
- Receptions and lobbies
- Schools and colleges
- Open plan offices and executive cabins
- Conference rooms


Related products




Dimensional drawing




TBS869



TBS869



TBS869



TBS869

General information

Order code	Product family code	Number of lamps	Optics	Lamp family code	Lamp power	Color	Gear	Light regulation
919015044025	TBS869	2	D8	TL5	14 W	-	HFR	-
919015044030	TBS869	2	D8	TL5	54 W	No	EBP	No
919015044921	TBS869	2	-	TL5	28 W	No	EBP	No
919015067123	TBS869	2	D8	TL5	28 W	-	EBP	-
919015067136	TBS869	2	D8	TL5	28 W	-	HFR	-
919015810099	TBS869	2	D8	TL5	54 W	-	EBP	-
919015044324	TBS869	4	D8	TL5	14 W	No	HF	No
919015044780	TBS869	4	D8	TL5	14 W	WH	HFR	No
919015044857	TBS869	4	D8	TL5	14 W	WH	HFD	No
919015044925	TBS869	4	D8	TL5	14 W	-	EBP	-
919015044934	TBS869	4	D8	TL5	14 W	WH	HF	No
919015067122	TBS869	4	D8	TL5	14 W	-	EBP	No
919015810237	TBS869	4	D8	TL5	14 W	-	EBT	-



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, December 20
data subject to change