



## SPEAKER CABLE

**Document ID: TE/QMS/F/02**

**DESIGN CODE : SPPB09CYUAYT002C.32S**

Description	2C X 40/38 AWG
Manufacturer Name	Polycab India Limited
Type of cable	Twin Parallel Speaker Cable
Rated Voltage	Up to & Including 1100 V
Conductor	
a) Material	Oxygen free Copper as per Class 6 of IS: 8130/84,latest
b) Nominal dia of each wires size (mm)	0.101 (38 AWG)
c) No of wires	40
d) Nominal cross sectional area ( Sq.mm)	0.32
e) Shape of conductor	Circular Bunched
f) Max. D.C Cond. Resistance at 20 Deg. C. (Ohm/km)	61.0
Insulation	
a) Material	Transparent PVC
b) Nominal Thickness in mm.	0.80
c) Overall Dimension (w x h) (Approx.) (mm)	4.8 x 2.5
d) Core Identification	Natural & Natural-Blue
General and Environmental Characteristics	
a) Temp Range operation storage ° C	-10° C + 60° C
b) Temp Range installation ° C	-0° C + 50° C
c) Max. conductor temp. under normal operating conditions ° C	70° C
Stanadrd Packing Length (M)	90 Meter
Standards to which the cables confirm	Generally as per IS 8130/84,IS 694,/IS 5831 etc. with latest up to date amendments

Rev. No.: 00

Issued Date : 23/12/2022

Note:-The values given above are subject to tolerances as per the relevant standards.

www.polycab.com | Toll Free No - 1800 267 0008 | Email: enquiry@polycab.com