

PRICE-LIST • Dated : 30th SEPTEMBER 2024 • W.E.F. : 1st OCTOBER 2024 • LP NO. 09/2024-25

FR / PVC INSULATED INDUSTRIAL FLEXIBLE CABLE

Polycab FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100Volts **Rate Per Meter**

Polycab PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS:694:2010 **Rate Per Meter**

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM)	AMPS.	SINGLE CORE	PKG.	2 Core	3 Core	4 Core	2 CORE to 4 CORE PKG.	5 Core	6 Core
0.50	16/0.20	05	13.25	24	35.55	48.70	62.30	5	78.25	93.75
0.75	24/0.20	08	18.55	24	47.50	66.00	84.80	5	111.00	133.00
1.00	32/0.20	13	23.65	20	60.40	83.95	108.50	5	143.25	171.00
1.50	30/0.25	17	34.10	16	82.15	116.70	152.75	5	194.75	237.00
2.50	50/0.25	24	56.10	12	133.00	186.50	247.00	4	319.50	382.00
4.00	56/0.30	30	87.05	8	199.00	287.00	377.00	1	504.00	604.00
6.00	84/0.3	38	130.00	6	293.00	423.00	556.00	1	742.00	890.00
10.00	80/0.4	52	228.00	1	501.00	729.00	959.00	1	1279.00	-----
16.00	126/0.4	70	358.50	1	784.00	1140.00	1505.00	-	1962.00	-----
25.00	196/0.4	88	564.00	1	1306.00	1892.00	2471.00	-	3567.00	-----
35.00	276/0.4	110	789.00	1	1818.00	2628.00	3454.00	-	4887.00	-----
50.00	396/0.4	145	1126.00	1	2582.00	3743.00	4943.00	-	7073.00	-----
70.00	354/0.5	215	1591.00	1	3668.00	5192.00	6864.00	-	9671.00	-----
95.00	484/0.5	260	2100.00	1	(FRLS) +	7505.00	9901.00	-	-----	-----
120.00	608/0.5	305	2706.00	-	(FRLS) +	9529.00	12578.00	-	-----	-----
150.00	750/0.5	355	3388.00	-	(FRLS) +	11912.00	15724.00	-	-----	-----
185.00	925/0.5	415	4215.00	-	(FRLS) +	14671.00	19391.00	-	-----	-----
240.00	1210/0.5	500	5501.00	-	(FRLS) +	18938.00	25069.00	-	-----	-----
300.00	1527/0.5	585	6883.00	-	(FRLS) +	23632.00	31294.00	-	-----	-----
400.00	2036/0.5	695	9171.00	-	(FRLS) +	31488.00	41451.00	-	-----	-----

Polycab PVC Insulated, PVC Round Sheathed MultiCore Industrial Flexible Cables conforming to IS694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Rate Per Meter

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM)	AMPS.	7 Core	8 Core	10 Core	12 Core	14 Core	16 Core	19 Core	24 Core
0.50	16/0.20	05	105.00	126.00	156.00	181.50	209.00	238.00	277.00	349.00
0.75	24/0.20	08	150.50	177.00	219.50	258.00	300.00	342.00	401.00	501.00
1.00	32/0.20	13	192.00	227.00	280.00	331.00	388.00	441.00	517.00	650.00
1.50	30/0.25	17	270.00	310.00	392.50	464.00	549.00	634.00	733.00	937.00
2.50	50/0.25	24	437.00	522.00	644.00	775.00	894.00	1023.00	1187.00	1534.00
4.00	56/0.30	30	724.00	-----	-----	-----	-----	-----	-----	-----

PRICE-LIST • Dated : 30th SEPTEMBER 2024 • W.E.F. : 1st OCTOBER 2024 • LP NO. 09/2024-25

FRLS INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL FLEXIBLE CABLE

FRLS MULTICORE INDUSTRIAL FLEXIBLE CABLE

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts. (0.5SQ.MM. to 95SQ.MM. 100 Mtrs PKG.)

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts. (100 Meter Packing.)

Rate Per Meter

Rate Per Meter

COND. AREA SQ.MM	COND. CONST. (NO./DIA.MM)	AMPS.	SINGLE CORE	PKG Single Core	2 Core	3 Core	4 Core	PKG 2-4 CORE
0.50	16/.2	5	13.60	24	37.80	50.90	64.55	6
0.75	24/.2	8	19.05	24	50.35	68.65	87.55	6
1.00	32/.2	13	23.95	20	63.10	86.95	111.40	6
1.50	30/.25	17	34.40	16	85.55	120.25	155.30	6
2.50	50/.25	24	57.00	12	138.00	191.00	252.00	4
4.00	56/.3	30	87.65	8	205.00	293.00	384.00	-
6.00	84/.3	38	131.50	6	300.00	430.00	562.00	-
10.00	80/.4	52	233.00	1	510.00	740.00	973.00	-
16.00	126/.4	70	364.00	1	804.00	1166.00	1534.00	-
25.00	196/.4	88	571.00	1	1333.00	1928.00	2521.00	-
35.00	276/.4	110	798.00	1	1856.00	2680.00	3527.00	-
50.00	396/.4	145	1137.00	1	2635.00	3818.00	5040.00	-
70.00	354/.5	215	1609.00	1	3741.00	5295.00	7002.00	-

SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 200 / 300 METER

Polycab FR/FRLS Insulated Single Core Unsheathed Industrial (Multistrand) Cables - Flame Retardant Lead Free (FRLF)/ Heat Resistant Flame Retardant Low Smoke Halogen-Lead Free Conforming To IS - 694:1990 With Bright Annealed Electrolytic Bare Copper Conductor For Voltage

Rate Per Coil

PRICE-LIST

Dated : 30th SEPTEMBER 2024 • W.E.F. : 1st OCTOBER 2024 • LP NO. 09/2024-25

SQ.MM	AMP.	FR-LF		FRLS-H		GREEN WIRES		COIL PER BOX
		300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	
1.00	12	7180	-----	7390	-----	7510	-----	8
1.50	16	10560	-----	10880	-----	11030	-----	6
2.50	22	17135	-----	17660	-----	17915	-----	4
4.00	29	-----	17620.00	-----	18155	-----	18410	4
6.00	37	-----	26350.00	-----	27145	-----	27550	3
10.00	45	-----	46175.00	-----	47520	-----	48220	1
16.00	68	-----	73205.00	-----	75355	-----	76460	1

PRICE-LIST • Dated : 30th SEPTEMBER 2024 • W.E.F. : 1st OCTOBER 2024 • LP NO. 09/2024-25

POLYCAB INDUSTRIAL COPPER BRAIDED (SCREENED) CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts.

Rate Per Meter

CORES	SQ.MM										
	0.5	0.75	1.0	1.5	2.5	4	6	10	16	25	35
2	107.00	131.00	148.00	179.00	272.00	372.00	523.00	-	-	-	-
3	124.00	160.00	200.00	248.00	363.00	572.00	799.00	1210.00	1831.00	3448.00	4526.00
4	153.50	200.00	244.00	304.00	458.00	698.00	973.00	1628.00	2627.00	4157.00	5756.00
6	207.00	272.00	319.00	432.00	690.00	-	-	-	-	-	-
7	223.00	313.00	363.00	478.00	780.00	-	-	-	-	-	-
8	259.00	372.00	413.00	552.00	815.00	-	-	-	-	-	-
10	328.00	410.00	549.00	692.00	911.00	-	-	-	-	-	-
12	372.00	464.00	588.00	780.00	1065.00	-	-	-	-	-	-
14	410.00	549.00	690.00	934.00	1280.00	-	-	-	-	-	-
16	439.00	639.00	775.00	1031.00	1507.00	-	-	-	-	-	-
19	523.00	757.00	915.00	1280.00	1946.00	-	-	-	-	-	-
24	631.00	846.00	1148.00	1569.00	2439.00	-	-	-	-	-	-

OVERALL SHIELDED-UNARMoured INSTRUMENTATION CABLES

Flexible Bare Copper Conductor PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded Along with ATC Drain Wire PVC Outer Sheath Instrumentation Unarmoured Cables.

Rate Per Meter

CORES	0.5 SQ.MM.	0.75 SQ.MM.	1.0 SQ.MM.	1.5 SQ.MM.	2.5 SQ.MM.
2	67.00	86.00	103.00	134.00	210.00
3	84.00	113.00	137.00	182.00	290.00
4	103.00	137.00	175.00	234.00	366.00
5	127.00	171.00	208.00	283.00	464.00
6	147.00	194.00	242.00	342.00	555.00
7	160.00	227.00	281.00	383.00	658.00
8	182.00	245.00	313.00	431.00	733.00
10	216.00	304.00	383.00	531.00	896.00
12	255.00	356.00	454.00	630.00	1100.00
14	297.00	416.00	525.00	724.00	-----
16	335.00	466.00	590.00	835.00	-----
19	383.00	555.00	697.00	972.00	-----
24	478.00	681.00	863.00	1240.00	-----

SOLAR DC CABLE

ATC Conductor LSOH Outersheath (Type-1) (Black Colour With Red Strip/Black Color) in Coil of 500 Mtrs.

SIZE IN SQ. MM.	RATE
4	100.00
6	148.00

SOLID ALUMINIUM CONDUCTOR

FLAT SERVICE CABLES

POLYCAB PVC INSULATED AND SHEATHED TWIN CORE FLAT & THREE CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694

CORES	SQ. MM.	RATE PER METER
2	2.5	73.10
2	4	97.50
2	6	129.50
2	10	188.50

INDUSTRIAL WELDING CABLES

POLYCAB Annealed Bare Copper Conductor Flexible Welding Cable Generally Conforming to IS 9857

CONDUCTOR AREA SQ.MM.	CURRENT CARRYING CAPACITY	RATE PER METER
16.00	120	439.00
25.00	160	687.00
35.00	230	949.00
50.00	400	1348.00

CONDUCTOR AREA SQ.MM.	CURRENT CARRYING CAPACITY	RATE PER METER
70.00	600	1906.00
95.00	700	2511.00
120.00	1100	3213.00
-----	-----	-----

PRICE-LIST • Dated : 30th SEPTEMBER 2024 • W.E.F. : 1st OCTOBER 2024 • LP NO. 10/2023-24

LAN (COMPUTER) CABLES

Polycab Make Solid Copper Conductor, Polyethylene Insulation, twisted Pairs, Lay-up, Ext Grey Fr Outer Sheathed Unarmoured Cable As Per Spec. TIA/EIA 568 B2

TYPE	UNARMOURED		ARMOURED
	SPEED & COLOUR	Rate per 305 MTRS	RATE PER MTR
CAT-5	SPEED 1 GBPS for 250 MHZ GREY COLOUR	12300	-----
CAT-6 UTP	SPEED 1 GBPS for 250 MHZ Blue / Yellow COLOUR	12930	114.00
CAT-6A UTP	SPEED 1 GBPS for 250 MHZ GREY COLOUR	15750	-----
CAT-6 FTP	SPEED 1 GBPS for 250 MHZ GREY COLOUR	20435	-----

TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification.

NO. OF PAIRS	RATE PER METER		90 METERS		PKG.
	0.4 MM	0.5 MM	0.4 MM	0.5 MM	
2 PAIR	13.75	19.50	1240.00	1755.00	20
3 PAIR	---	28.85	---	2595.00	16
4 PAIR	---	38.10	---	3430.00	12
5 PAIR	---	47.25	---	4255.00	8
10 PAIR	---	91.85	---	8270.00	1
20 PAIR	---	177.80	---	15965.00	1
50 PAIR	---	461.00	---	---	1
1000 PAIR	---	902.30	---	---	1

COAXIAL CABLES

Polycab PVC/Xlpe Insulated and PVC Sheathed Industrial 3Core Flat Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

TYPE	UNARMOURED		ARMOURED
	RATE PER 100 MTR	RATE PER 305 MTR.	RATE PER MTR
RG - 59	2360	7210	-----
RG - 6	2965	9085	97.85
RG - 11	6760	20700	152.65
RG - 06 CCS	1920	5850	-----
RG - 11 CCS	3870	11800	-----

INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

SPEAKER WIRES (OXYGEN FREE COPPER CONDUCTOR)

SIZE	RATE	SIZE	RATE
23/36	1960	23/38	1330
40/36	3000	40/38	2205
70/36	4070	70/38	2990

SIZE	RATE
1.00 SQ. MM.	3565.00
1.50 SQ. MM.	5300.00
2.50 SQ. MM.	8800.00

SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010 (500 Meters Packing)

CONDUCTOR AREA SQ. MM.	RATE PER METER
1.50	98.40
2.50	152.70
4.00	225.00
6.00	332.00
10.00	578.00
16.00	894.00
25.00	1400.00
35.00	1935.00

CCTV CABLES

SIZE	UNARMOURED 90 MTRS	UNARMOURED 180 MTRS	UNARMOURED 300 MTRS
3 + 1	3880.00	7760	12933
4 + 1	4220.00	8440	14067
SIZE	ARMOURED RATE PER MTRS		
4 + 1	133.10		

* OUR BANK DETAILS *

Name : Vashi Integrated Solutions Limited.
Bank Name : HDFC BANK LTD.
Branch : Mumbai-Sandoz House
Bank A/C No.: 50200050070484
IFSC Code.: HDFC0000240

PRICE-LIST • Dated : 1st MAY 2024 • W.E.F. : 1st MAY 2024 • LP NO. 02/2024-25

POLYCAB COPPER ARMoured CABLES

RATE PER METER

PVC/XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade Confirming to IS:7098 (Pt-1) 1988.

NO. OF CORES	1.5 SQ. MM. 2XWY / 2XFY	2.5 SQ. MM. 2XWY / 2XFY	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	3.5 CORE	4 CORE	5 CORE	6 CORE
2	205.00	289.00	4	392.00	525.00	-----	672.00	945.00	1134.00
3	255.00	373.00	6	536.00	740.00	-----	950.00	1271.00	1554.00
4	315.00	467.00	10	856.00	1175.00	-----	1538.00	2090.00	-----
5	378.00	557.00	16	1250.00	1838.00	-----	2371.00	2867.00	-----
6	442.00	659.00	25	2152.00	2937.00	3520.00	3872.00	5280.00	-----
7	494.00	749.00	35	2948.00	3982.00	4615.00	5254.00	7150.00	-----
8	636.00	863.00	50	3850.00	5443.00	6424.00	7282.00	9790.00	-----
10	719.00	1040.00	70	5720.00	7920.00	9035.00	10318.00	-----	-----
12	788.00	1208.00	95	0.00	10824.00	12511.00	14740.00	-----	-----
14	898.00	1404.00	120	0.00	13882.00	17050.00	18619.00	-----	-----
16	1008.00	1594.00	150	0.00	17655.00	20625.00	23650.00	-----	-----
19	1197.00	1880.00	185	0.00	22440.00	26257.00	29975.00	-----	-----
24	1498.00	2352.00	240	0.00	29150.00	33891.00	38669.00	-----	-----
			300	0.00	36740.00	42489.00	49170.00	-----	-----
			400	0.00	47190.00	53702.00	65737.00	-----	-----

POLYCAB ALUMINIUM ARMoured CABLES

RATE PER METER

PVC/XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. Grade Confirming to IS:7098 (Pt-1) 1988.

CROSS SECTION IN SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	163.00	181.00	-----	202.00
4	-----	185.00	198.00	-----	232.00
6	-----	224.00	245.00	-----	292.00
10	-----	284.00	316.00	-----	402.00
16	182.00	323.00	340.00	-----	430.00
25	240.00	344.00	435.00	505.00	541.00
35	290.00	430.00	575.00	639.00	728.00
50	358.00	556.00	748.00	865.00	973.00
70	458.00	744.00	1026.00	1166.00	1322.00
95	549.00	920.00	1263.00	1456.00	1648.00
120	637.00	1098.00	1538.00	1823.00	2010.00
150	759.00	1350.00	1888.00	2161.00	2471.00
185	933.00	1623.00	2339.00	2736.00	3040.00
240	1153.00	2152.00	2986.00	3435.00	3925.00
300	1419.00	2637.00	3689.00	4227.00	4838.00
400	1792.00	3424.00	4716.00	5400.00	6220.00

TERMS : (1) All Taxes Extra as applicable. (2) Rates are subject to change without prior notice. (3) This cancels all our previous Price Lists.

PRICE-LIST• Dated : 1st MAY 2024 • W.E.F. : 1st MAY 2024 • LP NO. 02/2024-25

POLYCAB H.T. XLPE ARMoured ALUMINIUM CABLES

"POLYCAB" Brand Stranded Compact Circular Aluminium Conductor, Conductor Screen With Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with extruded Semi Comnducting Compound in combination with Copper Tape, cores laid up, innersheath of PVC tape, galvanised flat steel strip armoured and overall PVC Sheathed Cable conforming to IS 7098/ (PART-II) 1985 with latest amendments. **RATE PER METER**

COND. CROSS SECTION IN SQ. MM.			6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3	X	35	1453.00	-----	-----
3	X	50	1737.00	-----	-----
3	X	70	2116.00	-----	-----
3	X	95	2400.00	3311.00	4386.00
3	X	120	2897.00	3720.00	4945.00
3	X	150	3394.00	4266.00	5315.00
3	X	185	3870.00	4816.00	5934.00
3	X	240	4689.00	5685.00	7009.00
3	X	300	5547.00	6665.00	7912.00
3	X	400	6940.00	8084.00	9589.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES ADD 25% EXTRA IN ABOVE RATES.

PRICE-LIST• Dated : 1st MAY 2024 • W.E.F. : 1st MAY 2024

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

"POLYCAB" Str/Solid Cu PVC XLPE Insulated Core/Pair/Traid Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip PVC Outer Sheathed Instrumentation. **RATE PER METER**

TYPE	NO.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
TRIAD	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379

LP NO.02/2024-25

JELLYFILLED ARMoured TELEPHONE CABLES

RATE PER METER

NO. OF PAIRS	ARMoured (0.50 MM)
5	174
10	278
20	405
50	872
100	1850
200	3398

TERMS : (1) All Taxes Extra as applicable. (2) Rates are subject to change without prior notice. (3) This cancels all our previous Price Lists.

OUR BANK DETAILS

Beneficiary Name : Vashi Integrated Solutions Limited.

Bank Name : HDFC BANK LTD.
Bank A/C No.: 50200050070484

Bank Name : HDFC BANK LTD.
IFSC Code.: HDFC0000240